

RECEIVED
CENTRAL FAX CENTER

DEC 21 2006

FAX COVER SHEET**PLEASE CONFIRM RECEIPT OF THIS FACSIMILE**

Attention: MAIL STOP APPEAL BRIEF - PATENTS

Fax: (571) 273-8300

Group Art Unit: 2144

Examiner: SHAW, PELING ANDY

UNITED STATES PATENT AND TRADEMARK OFFICE

Phone: (571) 272-7968

Pages: Cover + 20 + 7 = 28

Date: December 21, 2006

From: Georgann S. Grunebach

Fax: (310) 964-0941

Assistant General Counsel

Phone: (310) 964-4615

The information contained in this facsimile is confidential and may also contain privileged attorney-client information or work product. The information is intended only for the use of the individual or entity to which it is addressed. If you are not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received the facsimile in error, please immediately notify us by telephone, and return the original message to us at the address below via the U.S. Postal Service. Thank you.

CERTIFICATION OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that the correspondence identified above is being facsimile transmitted to (571) 273-8300 (Centralized Facsimile Number), addressed to: Mail Stop Appeal Brief - Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on December 21, 2006.


 Georgann S. Grunebach, Reg. No. 33,179
 (Printed Name of Depositor)

December 21, 2006
 (Date of Signature)

Re: Serial No. 09/940,141
 Filing Date: August 23, 2001

Attorney Docket No. PD-201118

Please find attached:

- AMENDED APPEAL BRIEF IN RESPONSE TO NOTICE OF NON-COMPLIANT APPEAL BRIEF DATED NOVEMBER 21, 2006 (20 pages)
- REPLY BRIEF IN SUPPORT OF APPEAL (7 pages)

PLEASE CONFIRM RECEIPT OF THIS FACSIMILE

If you do not receive all pages, or pages are not clear, please call Karen Lum at (310) 964-0735.

The DirecTV Group, Inc., CA/LA1/A109, P. O. Box 956, El Segundo CA 90245

**RECEIVED
CENTRAL FAX CENTER****DEC 21 2006****Certificate of Transmission under 37 CFR 1.8**

I hereby certify that this correspondence is being facsimile transmitted to (571) 273-8300 (Centralized Facsimile Number), addressed to Mail Stop Appeal Brief - Patents, Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450, on December 21, 2006.

Date: December 21, 2006


Georgann S. Grunebach, Reg. No. 33,179

PATENT
PD-201118
CUSTOMER NO.: 020991

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Douglas A. Cheline, et al.
Serial No.: 09/940,141
Filed: August 23, 2001
For: Single-Modem Multi-User Virtual Private Network
TC/A.U.: 2144
Examiner: Peling Andy Shaw
Attorney Docket No.: PD-201118

AMENDED APPEAL BRIEF

Mail Stop Appeal Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Pursuant to 37 C.F.R. §41.37, the applicants hereby respectfully submit the following
Brief in support of their appeal.

Serial No. 09/940,141

PD-201118

(1) Real Party in Interest

The DirecTV Group, Inc., a Delaware corporation, is the Real Party in Interest.

(2) Related Appeals and Interferences

There are no known related appeals or interferences that will directly affect or be directly affected by or have a bearing on the Board's decision in the present appeal.

(3) Status of Claims

Claims 1-9, 11-20, and 22-23 are pending. All of the claims are under final rejection.

(4) Status of Amendments

An amendment was filed on May 9, 2006 (subsequent to the final rejection). This amendment was entered by the Examiner.

(5) Summary of Claimed Subject Matter

Virtual Private Networks (VPNs) are private data networks that make use of tunnels to maintain privacy when communicating over a public telecommunication infrastructure such as the Internet.¹ VPNs give server operators, such as corporations, the same capabilities and security that they would have if they used a private or switched network to conduct communications.²

Modems are used to communicate between different entities in networks. For instance, a computer might use a modem to establish a connection with the Internet.³ Unfortunately, in previous systems, multiple clients to the same client-side modem were not allowed to establish multiple VPN communication tunnels using the single modem. For instance, a husband and wife may have both wanted to telecommute with their offices from home using secure connections. However, previous approaches required both the husband and wife to purchase separate modems and utilize separate telephone lines. The additional

¹ App. as filed, see at least page 2, line 25 – page 3, line 5.

² App. see at least page 3, lines 2-25.

³ App. see at least FIGS. 1-2; and page 3, lines 26 – page 4, line 5; page 8, lines 23-32; page 9, lines 18-20; page 14, lines 15 – page 15, line 9.

Serial No. 09/940,141

PD-201118

modems were expensive to purchase and the added telephone lines increased inefficiencies in the overall system.⁴

The Applicants overcome the shortcomings of these previous approaches by providing approaches whereby a client computer is coupled to a single modem within the client-side system.⁵ A request to establish a VPN session with a server-side system is received from a client computer and the request contains login details associated with a user at the computer.⁶ A network address of the client computer is determined and the user is authenticated based on the login details.⁷ A VPN tunnel is established between the client computer and the server-side system over the modem.⁸

Thereafter, a new request is received to establish a new VPN session with a different server-side system from a different client computer that is connected to the same modem in the client-side system.⁹ The request contains new login details associated with the different computer.¹⁰ A new network address of the different computer is determined and the new user is authenticated based upon these new login details.¹¹ Using this approach, separate tunnels are constructed over the same modem.¹² Consequently, the need for extra hardware (i.e., modems) is eliminated and system efficiency is enhanced.

As shown in FIG. 1 of the application, reproduced below for the convenience of the reader, a system 100 comprises a client-side system 108, a service provider system 146, and a server side system 130.¹³ The client side system includes multiple clients 102.¹⁴ Separate

4 App. sec at least page 3, line 26 – page 4, line 7.

5 App. see at least FIGS. 1-2, 4A; page 8, line 15 – page 9, line 6; page 10, lines 1-3.

6 App. see for example FIGS. 1-2, 3B and 6; page 8, lines 23-28; page 9, lines 1-19; page 15, lines 5-9; page 18, lines 7-14; page 19, line 30 – page 20, line 18.

7 App. see at least FIGS. 1-2 and 3B-3C; page 15, lines 10-32; page 16, line 1 – page 17, line 16; page 20, lines 5-32; page 21, line 27 – page 23, line 10.

8 App. see at least FIGS. 1-2, 3A-D and 4A-C; page 11, lines 21-23; page 12, line 22 – page 13, line 2; page 17, line 32 – page 18, line 25; page 18, line 26 – page 26, line 27; page 21, lines 3-10; page 23, line 19 – page 24, line 19.

9 App. see for example FIGS. 4A-C and 5A-C; page 21, line 21 – page 26, line 27; page 26, line 27 – page 30, line 11.

10 App. see at least FIGS. 1-2, 3B and 6; page 8, lines 23-28; page 9, lines 1-19; page 15, lines 5-9; page 18, lines 7-14; page 19, line 30 – page 20, line 18; page 24, lines 22-26.

11 App. see at least FIGS. 1-2, 3A-D and 4A-C; page 11, lines 21-23; page 12, line 22 – page 13, line 2; page 17, line 32 – page 18, line 25; page 18, line 26 – page 26, line 27; page 21, lines 3-10; page 23, line 19 – page 24, line 19; page 24, lines 22-30; page 25, line 1 – page 26, line 27.

12 App. see for example page 21, lines 11-20; page 26, lines 21-27.

13 App. see for example FIG. 1; page 8, line 15 – page 14, line 14.

14 App. see at least FIG. 1; page 8, line 23 – page 9, line 19.

Serial No. 09/940,141

PD-201118

tunnels are established between different ones of these clients and the server side system.¹⁵ For instance, a tunnel may be established between the client 102(1) and the server side system 130. At the same time, a different tunnel may be established between the client 102(2) and the server side system 130.¹⁶ The tunnels are constructed over the same modem 106 of the client-side system 108.¹⁷

To take one example using the system of FIG. 1, a husband can operate and conduct communications from a computer 102(1) and his wife can operate and conduct communications from a different computer 102(2). Using the Applicants' approaches, a tunnel may be established between the client 102(1) (i.e., the husband) and the server side system 130. Thereafter, a different tunnel may be established between the client 102(2) (i.e., the wife) and the server side system 130. Both tunnels are constructed using the same modem 106 within the client-side system 108.¹⁸

¹⁵ App. see at least FIGS. 1-2, 3A-D and 4A-C; page 11, lines 21-23; page 12, line 22 – page 13, line 2; page 17, line 32 – page 18, line 25; page 21, lines 3-10; page 23, line 19 – page 24, line 19.


¹⁶ App. see for example FIGS. 3A-3D and 4A-4C; page 24, lines 20-30.

¹⁷ App. see at least FIGS. 3A-3D, 4A-4C and 5A-5C; page 11, lines 21-23; page 12, line 22 – page 13, line 2; page 17, line 32 – page 18, line 25; page 18, line 26 – page 26, line 27.

¹⁸ App. see at least FIGS. 1-2, 3A-3D, 4A-4C and 5A-5C; page 11, lines 21-23; page 12, line 22 – page 13, line 2; page 17, line 32 – page 18, line 25; page 18, line 26 – page 26, line 27.

Serial No. 09/940,141

PD-201118



Serial No. 09/940,141

PD-201118

(6) Grounds of Rejection to be Reviewed on Appeal

(A) Whether Claims 1-5, 8-9, 11-16, 19-20 and 22-23 are anticipated under 35 U.S.C. §102 by U.S. Published Application 2002/0178361 to Gentry ("the Gentry application")?

(B) Whether claims 6 and 17 are unpatentable under 35 U.S.C. §103 over Gentry?

(C) Whether claims 7 and 18 are unpatentable under 35 U.S.C. §103 over Gentry in view of U.S. Published Application 2002/0169988 to Vandergeest?

(7) Argument

(A) Claims 1-5, 8-9, 11-16, 19-20 and 22-23 are Not Anticipated by Gentry

Claim 1 is an independent method claim and recites:

1. A computer implemented method for establishing a Virtual Private Network (VPN) communication tunnel between a client computer and a server-side system, comprising:

- receiving a request to establish a VPN session with a server-side system from at least one client computer out of a plurality of client computers coupled to a modem within a client-side system, where said request contains login details for a user of said at least one client computer;
- determining a network address of said at least one client computer;
- authenticating said user based on said user login details;
- establishing a VPN tunnel between said at least one client computer having said network address and said server-side system, where said VPN tunnel is established over said modem;
- receiving a new request to establish a new VPN session with a different server-side system from a different client computer out of said plurality of client computers coupled to said modem within said client-side system, where said request contains new login details for a new user of said different client computer;
- determining a new network address of said different client computer;
- authenticating said new user based on said new user login details; and
- establishing a new VPN tunnel between said different client computer having said new network address and

Serial No. 09/940,141

PD-201118

said new server-side system, where said VPN tunnel is established over said modem.

In other words, the Applicants claim establishing two tunnels between two different client computers and two different server side systems. Each of the different tunnels is also established with different login details.

Without issuing a specific rejection, the Examiner hinted that the above recitations are not supported in the Specification. Specifically, the Examiner stated in the Advisory Action that "[t]here is no specific saying [in the specification] that the connection would happen at the same time over the same modem. There is no specific saying if additional consideration is required in applying the method for more than one computer." The Applicants respectfully disagree with these assertions.

Specifically, at page 3, lines 26-29 the Applicants state that current systems "do not allow multiple clients coupled to the same client side modem to establish multiple communication tunnels over the same modem." At page 6, lines 27-29, the Applicants state that "a VPN system is established that allows multiple clients coupled to the same client side modem to establish multiple VPN communication tunnels over the same modem." In addition, FIGs. 4a-c, "are flow charts of a method 400 for establishing multiple VPN tunnels over a single modem." Specification, page 21, lines 21-22. These flow charts show the establishment of a tunnel. Given the above-mentioned language, the approaches of FIGs. 4a-c can be repeatedly used to establish further tunnels. Consequently, the Applicants assert that the claim language recited in claim 1 is fully supported by the Specification.

In his rejections, the Examiner asserted that FIGs. 1 and 2 of Gentry included all elements of claim 1. Additionally, with respect to FIG. 1 of Gentry, the Examiner stated that "FIG. 1 shows that multiple connections are together, i.e., at the same location, it is clear that VPNs are for multiple computers at the same time and same location. As Gentry teaches sharing the Internet, it is clear that using the same WAN is intended... In summary Gentry does show sharing the Internet... in providing VPN connections for multiple computers and eliminating traditional leased lines over WAN; the WAN is over ISDN, i.e., a modem." The Applicants respectfully disagree with these rejections and statements and assert that claim 1 is allowable over Gentry.

Serial No. 09/940,141

PD-201118

Specifically, FIG. 1 of Gentry (reproduced below for the convenience of the reader) shows a single computer system 100 communicating with multiple VPNs 120, 140 and 160. Gentry shows that the computer system 100 can communicate with the multiple VPNs by establishing multiple tunnels, one corresponding to each VPN (see Gentry paragraph 39).

Each VPN 120, 140, and 160 is shown as including multiple computers. However, only one connection is shown from each of the VPNs 120, 140, and 160. Gentry is silent as to establishing *two separate* connections from *two separate* computers from the *same* client side system (e.g., VPN) as recited in claim 1. In fact, as shown in FIG. 1 of Gentry, the connection to each VPN 120, 140, or 160 is a connection to a *single* computer 130, 150, or 170 within each VPN.

Additionally, the connections from the VPNs 120, 140, and 160 are to the same computer system 100, not to *different* server side systems, as recited in claim 1.


Moreover, there is no teaching in Gentry that any of the multiple connections would use the same modem. In fact, since each tunnel is from a separate VPN and each VPN must communicate with the Internet 110, separate modems must be used to forward the communications to the Internet 110. This is exactly the opposite of the approach recited in claim 1, where a single modem carrying multiple connections is recited.

Furthermore, although three connections are shown originating from the Internet 110, there is no indication these are made from the same modem. In any case, the modem recited in claim 1 is positioned within a client-side system (i.e., VPNs 120, 140, or 160), not within an intermediate network (i.e., the Internet 110).

BEST AVAILABLE COPY

Serial No. 09/940,141


PD-201118

**Figure 1**

Serial No. 09/940,141

PD-201118

The system illustrated in FIG. 2 of Gentry also does not contain various elements recited in claim 1. Specifically, FIG. 2 of Gentry (reproduced below for the convenience of the reader) shows a single computer 200 communicating with multiple computers 230, 240, 250, and 260. As shown in FIG. 2, single tunnels 235, 245, 255, and 265 connect one computer 200 to computers 230, 240, 250, and 260. All the computers shown in FIG. 2 are located at the same site (i.e., within the same VPN). In other words, there is no indication that different client side computers are coupled to different server side system computers using different tunnels as recited in claim 1.

**Figure 2**

Serial No. 09/940,141

PD-201118

In both of these examples (shown in FIGs. 1 and 2 of Gentry), there is no teaching or suggestion in Gentry of different client computers communicating with different server side computers using the same modem. Consequently, the Applicants assert that claim 1 includes elements not taught or suggested by Gentry and that claim 1 is allowable over Gentry.

Claims 13 and 22 have recitations similar to claim 1 and the Applicants assert that claims 13 and 22 are allowable for the same reasons as given above with respect to claim 1. Claims 2-4, 8-9, 11-12, 14-16, 19-20, and 23 ultimately depend upon claims 1, 13, or 22 which have been shown to be allowable above, and therefore, these claims are also allowable. In addition, they introduce additional content that, particularly when considered in context with the claims from which they depend, introduce additional incremental patentable subject matter. Accordingly, the Applicants reserve the right to present further arguments in the future with regard to these dependent claims if independent claims 1, 13, or 22 are found to be unpatentable. In view of the foregoing, the Applicants assert that claims 1-5, 8-9, 11-16, 19-20 and 22-23 are allowable.

(B) Claims 6 and 17 are Allowable over Gentry

Claims 6 and 17 ultimately depend upon claims 1 and 13, which have been shown to be allowable above, and therefore, these claims are also allowable. In addition, they introduce additional content that, particularly when considered in context with the claims from which they depend, introduce additional incremental patentable subject matter. Accordingly, the Applicants reserve the right to present further arguments in the future with regard to these dependent claims if independent claims 1 and 13 are found to be unpatentable. In view of the foregoing, the Applicants assert that claims 6 and 17 are allowable.

(C) Claims 7 and 18 are Allowable over Gentry in view of Vandergeest

Claims 7 and 18 ultimately depend upon claims 1 and 13, which have been shown to be allowable above, and therefore, these claims are also allowable. In addition, they introduce additional content that, particularly when considered in context with the claims from which they depend, introduce additional incremental patentable subject matter. Accordingly, the Applicants reserve the right to present further arguments in the future with

Serial No. 09/940,141


PD-201118

regard to these dependent claims if independent claims 1 and 13 are found to be unpatentable.
In view of the foregoing, the Applicants assert that claims 7 and 18 are allowable.

Conclusion

In view of the foregoing, it is submitted that the application is in condition for allowance which is respectfully requested. The Commissioner is hereby authorized to charge any additional fees which may be required to Deposit Account No. 50-0383.

Respectfully submitted,

By: 
Georgann S. Grunebach
Registration No. 33,179

Date: August 10, 2006

Address all correspondence to:
The DIRECTV Group, Inc.
CA/LA1/A109
2230 E. Imperial Highway
P.O. Box 956
El Segundo, CA 90245-0956

Telephone: (310) 964-4615

Serial No. 09/940,141

PD-201118

(8) Claims Appendix

Claim 1 (Previously presented): A computer implemented method for establishing a Virtual Private Network (VPN) communication tunnel between a client computer and a server-side system, comprising:

receiving a request to establish a VPN session with a server-side system from at least one client computer out of a plurality of client computers coupled to a modem within a client-side system, where said request contains login details for a user of said at least one client computer;

determining a network address of said at least one client computer;

authenticating said user based on said user login details;

establishing a VPN tunnel between said at least one client computer having said network address and said server-side system, where said VPN tunnel is established over said modem;

receiving a new request to establish a new VPN session with a different server-side system from a different client computer out of said plurality of client computers coupled to said modem within said client-side system, where said request contains new login details for a new user of said different client computer;

determining a new network address of said different client computer;

authenticating said new user based on said new user login details; and

establishing a new VPN tunnel between said different client computer having said new network address and said new server-side system, where said VPN tunnel is established over said modem.

Claim 2 (Original): The computer implemented method of claim 1, wherein said receiving further comprises obtaining security details from said client.

Claim 3 (Original): The computer implemented method of claim 1, wherein said determining further comprises reading a connection log to extract the network address of said at least one client computer.

Serial No. 09/940,141

PD-201118

Claim 4 (Original): The computer implemented method of claim 1, further comprising the step, after said determining step, of storing said network address.

Claim 5 (Original): The computer implemented method of claim 1, wherein said authenticating further comprises the steps of:
transmitting said login details to an authentication server for authentication;
and
accepting an authentication response from said server.

Claim 6 (Original): The computer implemented method of claim 5, wherein said transmitting further comprises sending said login details to a Radius server.

Claim 7 (Original): The computer implemented method of claim 1, wherein said authenticating step further comprises the steps of:
transmitting said login details to an authentication server for authentication;
accepting a challenge from said server; and
re-transmitting said login details to said authentication server for authentication.

Claim 8 (Original): The computer implemented method of claim 1, wherein said determining further comprises ascertaining an Internet Protocol (IP) address of said client.

Claim 9 (Original): The computer implemented method of claim 1, wherein said determining further comprises ascertaining a Media Access Control (MAC) address of said client.

Claim 10 (Canceled)

Claim 11 (Previously presented): A computer implemented method for establishing a Virtual Private Network (VPN) communication tunnel between a client computer and a server-side system, comprising:

Serial No. 09/940,141

PD-201118

receiving a request to establish a VPN session with a server-side system from at least one client computer out of a plurality of client computers coupled to a modem within a client-side system, where said request contains login details for a user of said at least one client computer;

determining a network address of said at least one client computer;

authenticating said user based on said user login details;

establishing a VPN tunnel between said at least one client computer having said network address and said server-side system, where said VPN tunnel is established over said modem;

receiving a new request to establish a new VPN session with said server-side system from a different client computer out of said plurality of client computers coupled to said modem within said client-side system, where said request contains new login details for a new user of said different client computer;

determining a new network address of said different client computer;

authenticating said new user based on said new user login details; and

establishing a new VPN tunnel between said different client computer having said new network address and said server-side system, where said VPN tunnel is established over said modem.

Claim 12 (Original): The computer implemented method of claim 1, further comprising severing the VPN tunnel after a predetermined time of inactivity.

Claim 13 (Previously presented): A computer program product for use in conjunction with a computer system for establishing a Virtual Private Network (VPN) communication tunnel between a client computer and a server-side system, the computer program product comprising a computer readable storage and a computer program embedded therein, the computer program comprising:

instructions for receiving a request to establish a VPN session with a server side system from at least one client computer out of a plurality of client computers coupled to a modem within a client-side system, where said request contains login details for a user of said at least one client computer;

Serial No. 09/940,141

PD-201118

instructions for determining a network address of said at least one client computer;

instructions for authenticating said user based on said user login details;

instructions for establishing a VPN tunnel between said at least one client computer having said network address and said server-side system, where said VPN tunnel is established over said modem;

instructions for receiving a new request to establish a new VPN session with a different server-side system from a different client computer out of said plurality of client computers coupled to said modem within said client side system, where said request contains new login details for a new user of said different client computer;

instructions for determining a new network address of said different client computer;

instructions for authenticating said new user based on said new user login details;

and

instructions for establishing a new VPN tunnel between said different client computer having said new network address and said new server side system, where said VPN tunnel is established over said modem.

Claim 14 (Original): The computer program product of claim 13, wherein said instructions for determining further comprise instructions for reading a connection log to extract the network address of said at least one client computer.

Claim 15 (Original): The computer program product of claim 13, wherein said computer program further comprises instructions for storing said network address.

Claim 16 (Original): The computer program product of claim 13, wherein said instructions for authenticating further comprise:

instructions for transmitting said login details to an authentication server for authentication; and

instructions for accepting an authentication response from said server.

Serial No. 09/940,141

PD-201118

Claim 17 (Original): The computer program product of claim 13, wherein said instructions for transmitting further comprise instructions for sending said login details to a Radius server.

Claim 18 (Original): The computer program product of claim 13, wherein said instructions for authenticating further comprise:
instructions for transmitting said login details to an authentication server for authentication;
instructions for accepting a challenge from said server, and
instructions for re-transmitting said login details to said authentication server for authentication.

Claim 19 (Original): The computer program product of claim 13, wherein said instructions for determining further comprise instructions for ascertaining an Internet Protocol (IP) address of said client.

Claim 20 (Original): The computer program product of claim 13, wherein said instructions for determining further comprise instructions for ascertaining a Media Access Control (MAC) address of said client.

Claim 21 (Canceled)

Claim 22 (Previously presented): A computer program product for use in conjunction with a computer system for establishing a Virtual Private Network (VPN) communication tunnel between a client computer and a server-side system, the computer program product comprising a computer readable storage and a computer program embedded therein, the computer program comprising:
instructions for receiving a request to establish a VPN session with a server side system from at least one client computer out of a plurality of client computers coupled to a modem within a client-side system, where said request contains login details for a user of said at least one client computer,

Serial No. 09/940,141

PD-201118

instructions for determining a network address of said at least one client computer;

instructions for authenticating said user based on said user login details;
instructions for establishing a VPN tunnel between said at least one client computer having said network address and said server-side system, where said VPN tunnel is established over said modem;

instructions for receiving a new request to establish a new VPN session with said server-side system from a different client computer out of said plurality of client computers coupled to said modem within said client-side system, where said request contains new login details for a new user of said different client computer;

instructions for determining a new network address of said different client computer;

instructions for authenticating said new user based on said new user login details;
and

instructions for establishing a new VPN tunnel between said different client computer having said network address and said new server-side system, where said VPN tunnel is established over said modem.

Claim 23 (Original): The computer program product of claim 13, wherein said computer program further comprises instructions for severing the VPN tunnel after a predetermined time of inactivity.

Serial No. 09/940,141

PD-201118

(9) Evidence Appendix

Not Applicable.

Serial No. 09/940,141

PD-201118

(10) Related Proceedings Appendix

Not applicable.